

Table 7.14
Unadjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	490	99.0%	0.5%	490	97.3%	0.7%	1,613	83.9%	1.2%	2,249	65.4%	2.3%
Age at Tx												
6-11 Years	0	-	-	0	-	-	1	+	+	1	+	+
18-34 Years	95	98.9%	1.0%	95	97.9%	1.5%	297	87.8%	2.7%	432	71.7%	4.7%
35-49 Years	291	99.0%	0.6%	291	97.6%	0.9%	1,024	84.4%	1.5%	1,440	64.2%	2.9%
50-64 Years	103	99.0%	1.0%	103	96.1%	1.9%	289	77.7%	3.4%	374	65.7%	4.4%
65+ Years	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	2	+	+
Recipient Ethnicity/Race												
White	413	99.0%	0.5%	413	97.6%	0.8%	1,369	83.4%	1.4%	1,951	65.4%	2.4%
African American	45	97.8%	2.2%	45	93.3%	3.7%	128	81.1%	4.3%	160	46.3%	11.7%
Hispanic/Latino	28	100.0%	0.0%	28	100.0%	0.0%	95	94.7%	3.4%	111	91.5%	4.2%
Asian	2	100.0%	0.0%	2	100.0%	0.0%	12	90.9%	8.7%	13	91.7%	8.0%
Other/Multi-race	2	100.0%	0.0%	2	100.0%	0.0%	9	85.7%	13.2%	14	80.2%	12.8%
Recipient Gender												
Female	212	98.6%	0.8%	212	96.7%	1.2%	671	86.5%	1.7%	938	66.3%	3.5%
Male	278	99.3%	0.5%	278	97.8%	0.9%	942	82.1%	1.7%	1,311	65.0%	3.0%
Recipient Blood Type												
O	214	98.1%	0.9%	214	96.7%	1.2%	675	82.2%	2.1%	933	63.7%	3.7%
A	204	99.5%	0.5%	204	98.5%	0.8%	663	85.4%	1.8%	948	64.9%	3.5%
B	50	100.0%	0.0%	50	94.0%	3.4%	196	84.7%	3.3%	265	70.6%	5.7%
AB	22	100.0%	0.0%	22	100.0%	0.0%	79	83.6%	5.0%	103	74.6%	10.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 7.14 (Continued)
Unadjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	490	99.0%	0.5%	490	97.3%	0.7%	1,613	83.9%	1.2%	2,249	65.4%	2.3%
Recipient Residency												
U.S. Resident	489	99.0%	0.5%	489	97.3%	0.7%	1,612	83.9%	1.2%	2,238	65.1%	2.3%
Nonresident Alien	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	2	+	+
Unknown	0	-	-	0	-	-	0	-	-	9	77.8%	13.9%
Hospitalized at Tx												
Not Hospitalized	485	99.0%	0.5%	485	97.3%	0.7%	1,595	83.8%	1.2%	2,216	65.2%	2.4%
Hospitalized	4	100.0%	0.0%	4	100.0%	0.0%	15	92.9%	6.9%	24	61.0%	13.1%
In Intensive Care	1	100.0%	0.0%	1	100.0%	0.0%	3	100.0%	0.0%	7	+	+
Unknown	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
Cold Ischemic Time												
0-11 Hours	194	98.5%	0.9%	194	96.4%	1.3%	484	84.9%	2.4%	619	72.5%	3.9%
12-21 Hours	189	99.5%	0.5%	189	97.9%	1.0%	680	84.4%	1.8%	1,007	63.3%	3.3%
22-31 Hours	26	100.0%	0.0%	26	96.2%	3.8%	106	82.6%	4.8%	182	64.8%	6.7%
32-41 Hours	3	100.0%	0.0%	3	100.0%	0.0%	6	100.0%	0.0%	10	+	+
42+ Hours	0	-	-	0	-	-	2	+	+	4	100.0%	0.0%
Unknown	78	98.7%	1.3%	78	98.7%	1.3%	335	82.1%	2.7%	427	67.2%	4.8%
Yearly Center Volume												
0-4	66	100.0%	0.0%	66	97.0%	2.1%	218	82.3%	3.6%	370	71.0%	5.5%
5-7	54	100.0%	0.0%	54	98.1%	1.8%	214	86.0%	3.4%	237	73.2%	5.1%
8-11	59	98.3%	1.7%	59	96.6%	2.4%	236	83.5%	3.4%	362	57.6%	10.7%
12-19	93	95.7%	2.1%	93	94.6%	2.3%	317	85.3%	2.7%	405	77.1%	3.2%
20+	218	100.0%	0.0%	218	98.6%	0.8%	628	83.4%	1.9%	875	62.1%	3.2%
Donor Age												
<1 Year	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
1-5 Years	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
6-11 Years	10	100.0%	0.0%	10	100.0%	0.0%	32	69.9%	10.5%	48	+	+
12-17 Years	104	98.1%	1.3%	104	98.1%	1.3%	337	89.3%	2.1%	466	69.9%	5.4%
18-34 Years	284	98.9%	0.6%	284	96.5%	1.1%	922	82.0%	1.7%	1,242	63.5%	3.0%
35-49 Years	90	100.0%	0.0%	90	98.9%	1.1%	302	84.3%	2.8%	439	71.2%	3.6%
50-64 Years	2	100.0%	0.0%	2	100.0%	0.0%	19	94.7%	5.1%	51	64.6%	11.2%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 7.14 (Continued)
Unadjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	490	99.0%	0.5%	490	97.3%	0.7%	1,613	83.9%	1.2%	2,249	65.4%	2.3%
Transplant Center State												
ALABAMA	13	100.0%	0.0%	13	100.0%	0.0%	21	94.7%	5.1%	21	+	+
ARKANSAS	0	-	-	0	-	-	2	100.0%	0.0%	3	+	+
ARIZONA	19	100.0%	0.0%	19	100.0%	0.0%	42	94.9%	3.5%	44	+	+
CALIFORNIA	27	100.0%	0.0%	27	100.0%	0.0%	90	85.2%	5.1%	113	83.4%	5.2%
COLORADO	2	100.0%	0.0%	2	100.0%	0.0%	8	100.0%	0.0%	9	+	+
CONNECTICUT	4	100.0%	0.0%	4	100.0%	0.0%	23	71.6%	11.2%	44	61.8%	9.2%
FLORIDA	4	100.0%	0.0%	4	100.0%	0.0%	41	88.7%	5.4%	50	+	+
GEORGIA	4	100.0%	0.0%	4	100.0%	0.0%	18	83.3%	10.8%	18	+	+
HAWAII	0	-	-	0	-	-	2	100.0%	0.0%	2	+	+
IOWA	1	100.0%	0.0%	1	100.0%	0.0%	5	100.0%	0.0%	8	64.3%	21.0%
ILLINOIS	13	100.0%	0.0%	13	100.0%	0.0%	43	85.1%	6.4%	58	49.6%	14.0%
INDIANA	16	100.0%	0.0%	16	100.0%	0.0%	43	95.0%	3.4%	45	+	+
KANSAS	0	-	-	0	-	-	8	100.0%	0.0%	11	+	+
KENTUCKY	3	100.0%	0.0%	3	100.0%	0.0%	5	100.0%	0.0%	8	+	+
LOUISIANA	2	100.0%	0.0%	2	100.0%	0.0%	20	83.0%	9.0%	29	+	+
MASSACHUSETTS	29	100.0%	0.0%	29	100.0%	0.0%	89	87.5%	5.6%	115	81.6%	5.8%
MARYLAND	20	100.0%	0.0%	20	95.0%	4.9%	71	86.3%	4.3%	158	58.1%	6.0%
MAINE	3	100.0%	0.0%	3	100.0%	0.0%	14	83.6%	10.8%	14	+	+
MICHIGAN	26	92.3%	5.2%	26	92.3%	5.2%	56	75.0%	8.1%	82	70.8%	7.5%
MINNESOTA	58	100.0%	0.0%	58	100.0%	0.0%	265	80.9%	2.9%	471	62.5%	4.3%
MISSOURI	6	100.0%	0.0%	6	100.0%	0.0%	11	+	+	11	+	+
NORTH CAROLINA	10	100.0%	0.0%	10	100.0%	0.0%	49	93.3%	3.8%	58	92.7%	3.5%
NORTH DAKOTA	5	100.0%	0.0%	5	100.0%	0.0%	29	92.3%	7.4%	29	+	+
NEBRASKA	3	100.0%	0.0%	3	100.0%	0.0%	18	100.0%	0.0%	31	88.1%	6.6%
NEW HAMPSHIRE	6	100.0%	0.0%	6	100.0%	0.0%	6	+	+	6	+	+
NEW JERSEY	11	100.0%	0.0%	11	81.8%	11.6%	60	81.1%	5.5%	61	81.4%	5.4%
NEVADA	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
NEW YORK	21	100.0%	0.0%	21	100.0%	0.0%	70	78.1%	7.7%	87	+	+
OHIO	44	97.7%	2.2%	44	95.5%	3.1%	110	68.4%	6.7%	143	46.6%	19.4%
OKLAHOMA	1	100.0%	0.0%	1	100.0%	0.0%	7	100.0%	0.0%	8	100.0%	0.0%
OREGON	5	100.0%	0.0%	5	100.0%	0.0%	14	66.7%	20.8%	15	+	+
PENNSYLVANIA	27	96.3%	3.6%	27	96.3%	3.6%	88	88.9%	3.5%	115	72.6%	8.0%
RHODE ISLAND	6	100.0%	0.0%	6	100.0%	0.0%	17	90.0%	9.5%	17	+	+
SOUTH CAROLINA	6	100.0%	0.0%	6	83.3%	15.2%	14	57.1%	18.9%	17	+	+
SOUTH DAKOTA	9	100.0%	0.0%	9	88.9%	10.5%	17	+	+	17	+	+
TENNESSEE	10	100.0%	0.0%	10	90.0%	9.5%	30	96.7%	3.3%	45	71.6%	11.1%
TEXAS	19	100.0%	0.0%	19	100.0%	0.0%	47	83.9%	8.1%	71	53.5%	14.1%
UTAH	10	100.0%	0.0%	10	100.0%	0.0%	24	88.5%	8.0%	27	90.3%	6.8%
VIRGINIA	16	100.0%	0.0%	16	100.0%	0.0%	44	100.0%	0.0%	46	+	+
VERMONT	1	100.0%	0.0%	1	100.0%	0.0%	3	100.0%	0.0%	3	+	+

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 7.14 (Continued)
Unadjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
WASHINGTON	5	100.0%	0.0%	5	100.0%	0.0%	13	67.7%	17.1%	25	64.1%	11.6%
WISCONSIN	19	100.0%	0.0%	19	94.7%	5.1%	54	83.6%	6.7%	80	75.4%	6.9%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.